

Certificate of Verification **NPS**

Applicant : GEYOTO TECHNOLOGY LIMITED
Address : 300 DELAWARE AVENUE SUITE 210-2207 WILMINGTON, DE 19801
Manufacturer : GEYOTO TECHNOLOGY LIMITED
Address : 300 DELAWARE AVENUE SUITE 210-2207 WILMINGTON, DE 19801

DECLARE ON OUR SOLE RESPONSIBILITY THAT THE PRODUCT


Product : Solar Panel
Model : YP200-01-EC
Serial No. : YP100-01-EC

The product comply with RoHS Directive 2011/65/EU And Revision Directive (EU) 2015/863.

Test Standard : EN IEC 63000:2018
EN 62321-1:2013、EN 62321-4:2013+A1:2017、EN 62321-5:2013
EN 62321-7-2:2017、EN 62321-6:2015、EN 62321-8:2017

Date of issue : February 3, 2026

Detailed Specification of the tested product Shown in the following test Report(s)
Certificate No.: NPS026010083C1



NPS Standards Institute (HongKong) Company Limited DongGuan Test Laboratory
HK Phone: +852-53700017 www.nps.hk e nps@nps.hk Certificate Query <http://www.rohs.gs>
The statement is based on a single evaluation of the sample of above mentioned products.
It does not imply an assessment of the whole production.

NPS

CE RoHS TEST REPORT

Page 1 of 15

Report No. : NPS026010083C1
Applicant : GEYOTO TECHNOLOGY LIMITED
Address : 300 DELAWARE AVENUE SUITE 210-2207 WILMINGTON, DE 19801
Manufacturer : GEYOTO TECHNOLOGY LIMITED
Address : 300 DELAWARE AVENUE SUITE 210-2207 WILMINGTON, DE 19801
Importer : N/A
Product Name : Solar Panel
Model No. : YP200-01-EC
Serial No. : YP100-01-EC

The above sample(s) and information were provided by the Applicant.

Test Requested : RoHS (Pb、Cd、Hg、Cr6+、PBBs、PBDEs、DEHP、BBP、DBP、DIBP)

Test Method : IEC 62321-3-1:2013、IEC 62321-4:2017、IEC 62321-5:2013
IEC 62321-6:2015、IEC 62321-7-2:2017、IEC 62321-8:2017

Date of Test : January 23, 2026 to January 30, 2026

Date of issue : February 3, 2026

Test Results : Please refer to following page(s).

Conclusion :Based on the performed tests on submitted sample(s), the results of Pb(Lead),Cd(Cadmium), Hg(Mercury),Cr⁶⁺(Hexavalent chromium),(PBBs)Polybrominated biphenyls,(PBDEs)Polybrominated Diphenyl Ethers, Hthalate(DEHP,BBP,DBP,DIBP).

Comply with the limits in RoHS Directive 2011/65/EU and its amended Directive (EU) 2015/863.

Reviewed by:

Jerry Chou

(Chief Engineer)



NPS Test Laboratory(DongGuan)Company Limited

NPS building, No.127, Dezheng East Road, Xiao Bian community, ChangAn Town, DongGuan City, GuangDong Province, China 52385

HK Phone: +852-53700017 DG Phone: +86-134 2862 9186

Hotline: 400-1361698

http://www.nps.gs

E mail: nps@nps.gs

NPS Global RoHS query: www.rohs.gs

This report is for the exclusive use of NPS's Client and is provided pursuant to the agreement between NPS and its Client. NPS's responsibility and liability are limited to the terms and conditions of the agreement. NPS assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the NPS name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by NPS. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an NPS certification program.

TEST SUMMARY

Test Item(s)	Test Requirement	Test Method		EU RoHS Limit (mg/kg)
		Chemical Method	X-ray Method	
Pb (Lead)	EN 62321-3-1:2013 EN 62321-5:2013	IEC 62321-5:2013	IEC 62321-3-1:2013	0.1% (1000)
Cd (Cadmium)	EN 62321-3-1:2013 EN 62321-6:2015	IEC 62321-6:2015		0.01% (100)
Hg(Mercury)	EN 62321-3-1:2013 EN 62321-4:2017	IEC 62321-4:2017		0.1% (1000)
Cr ⁶⁺ (Chromium)	EN 62321-3-1:2013 EN 62321-7-2:2017	IEC 62321-7-2:2017		0.1% (1000)
PBBs+PBDEs(Br)	EN 62321-3-1:2013 EN 62321-6:2015	IEC 62321-6:2015		0.1% (1000)
DEHP(Di-2-ethylh Exyl Phthalate)	EN 62321-8:2017	IEC 62321-8:2017	N/A	0.1% (1000)
BBP(Butyl benzyl Phthalate)			N/A	0.1% (1000)
DBP(Dibutyl Phthalate)			N/A	0.1% (1000)
DIBP(Diisobutyl phthalate)			N/A	0.1% (1000)
Test Conclusion				
Tested samples		Standard		Result
Screening components		Screening by XRF spectroscopy		Pass
of submitted samples		and chemical confirmation test		Pass

Remarks: Priority to refer to NPS internal standards to IEC 62321-3-1/4/5/6/7/8

(a) Part 3-1: Screening - Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry

(b) Chemical test

- (1) 1 mg/kg = 1 ppm = 0.0001%.
- (2) MDL = Method detection limit.
- (3) N.D. = Not Detected (< MDL).
- (4) "N/A" = Not Applicable.
- (5) According to the customer's declaration, in accordance with Article 6(c) of Annex III exemption of EU RoHS Directive 2011/65/EU: in copper alloys, the ratio of lead by weight does not exceed 4%(40,000 mg/kg), the test results of lead numbered (30) are exempted.



NPS Test Laboratory Dongguan (NPS Standards Institute)

HK Phone: +852-53700017 www.nps.gs E mail: nps@nps.gs DG Phone: +86-134 2862 9186 Hotline: 400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 3 of 15

XRF Screening Limit in mg/kg for regulated elements in various matrices.

Element	Polymer materials	Metallic materials	Composite materials
Cd	$BL \leq (70 - 3\sigma) < X < (130 + 3\sigma) \leq OL$	$BL \leq (70 - 3\sigma) < X < (70 + 3\sigma) \leq OL$	$LOD < X < (150 + 3\sigma) \leq OL$
Pb	$BL \leq (700 - 3\sigma) < X < (1300 + 3\sigma) \leq OL$	$BL \leq (700 - 3\sigma) < X < (1300 + 3\sigma) \leq OL$	$BL \leq (500 - 3\sigma) < X < (1500 + 3\sigma) \leq OL$
Hg	$BL \leq (700 - 3\sigma) < X < (1300 + 3\sigma) \leq OL$	$BL \leq (700 - 3\sigma) < X < (1300 + 3\sigma) \leq OL$	$BL \leq (500 - 3\sigma) < X < (1500 + 3\sigma) \leq OL$
Cr	$BL \leq (700 - 3\sigma) < X$	$BL \leq (700 - 3\sigma) < X$	$BL \leq (500 - 3\sigma) < X$
Br	$BL \leq (300 - 3\sigma) < X$	Not Applicable	$BL \leq (250 - 3\sigma) < X$

Remark:

- A "BELOW LIMIT" (BL) or "OVER LIMIT" (OL) determination will be set at 30 % (50 % for composite materials) less than or greater than the limit, respectively. The margins of safety have been agreed upon based on the experience of many experts and practitioners in the industry. Further explanation for this approach to estimating uncertainty.
- The symbol "X" marks the region, where further investigation is necessary.
- LOD means Limit of Detection.
- The term "3σ" expresses the repeatability of the analyzer at the action level.

XRF Relative deviation

Element	Polymer materials	Metallic materials	Composite materials
Pb	30	30	30
Cd	10	10	10
Hg	30	30	30
Cr	30	30	30
Br	30	--	30



NPS Test Laboratory Dongguan (NPS Standards Institute)

HK Phone: +852-53700017 www.nps.gs E mail: nps@nps.gs DG Phone: +86-134 2862 9186 Hotline: 400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 4 of 15

Other notes

Remark:

- Chemical confirmation tests were conducted to verify the inconclusive results, Chromium(VI)(Cr⁶⁺), Poly brominated biphenyls(PBBs) and Poly brominated diphenyl ethers(PBDEs) content.
- As requested by the applicant, only components shown in this report were screened by XRF spectroscopy for 2011/65/EU (EU) 2015/863)other components were not screened included in this report.

Disclaimers:

This XRF Screening Report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF Screening Report is sufficient for its/his/her purposes.

The results shown in this XRF Screening Report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. Plastic, Rubber, Metal, Glass, Ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

- Photos are included.

Possible test case verdicts

- Specimens, which requested to determine Cadmium, Mercury and Lead Content by chemical test, have been dissolved completely.
- 1mg/kg = 1ppm = 0.0001%
- N.D.= Not detected(<MDL)
- MDL = Method detection limit.
- N/A= Not Applicable
- "--"= Not Applicable
- BL= BELOW LIMIT
- OL= OVER LIMIT
- X= Inconclusive



NPS Test Laboratory Dongguan(NPS Standards Institute)

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 5 of 15

Screening by XRF Spectroscop (Chemical Confirmation Test)

Test Item(s): Pb, Cd, Hg, Cr, Br (PBBs/PBDEs)

X-ray Method: IEC 62321-3-1:2013

Chemical method: IEC/EN62321-4、IEC/EN62321-5、IEC/EN62321-6、IEC/EN 62321-7-2

No.	Sample name	XRF Results (mg/kg)					Chemical confirmation result (mg/kg)	Conclusion
		Pb	Cd	Hg	Cr	Br		
1	Silver metal ring	N.D.	N.D.	N.D.	N.D.	--	--	Pass
2	Black PVC composite material frame	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
3	Outer transparent film	BL	N.D.	N.D.	N.D.	N.D.	--	Pass
4	Thin-film battery	BL	N.D.	N.D.	N.D.	N.D.	--	Pass
5	The back side of the battery cell	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
6	Black elastic band	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
7	Black woven belt	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
8	Black plastic handle buckle	N.D.	N.D.	N.D.	BL	N.D.	--	Pass
9	Black plastic	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
10	Green plastic	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
11	Green plastic band	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
12	Silver metal fastener	BL	BL	N.D.	BL	--	--	Pass
13	Black plastic snap fastener	N.D.	N.D.	N.D.	X	N.D.	Cr(VI): N.D.	Pass
14	Black metal zipper puller	BL	BL	N.D.	BL	--	--	Pass
15	Black plastic zipper	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
16	The inner layer of the bag is black sponge.	N.D.	N.D.	N.D.	BL	N.D.	--	Pass
17	Black Oxford cloth	N.D.	N.D.	N.D.	N.D.	BL	--	Pass
18	Silver reflective fabric	N.D.	N.D.	N.D.	N.D.	BL	--	Pass
19	Grey Oxford cloth	BL	N.D.	N.D.	BL	BL	--	Pass
20	Black plastic surface	BL	N.D.	N.D.	BL	BL	--	Pass

Explain: N.D.= Not detected(<MDL), MDL= Method detection limit, N/A= Not Applicable "--"= Not Applicable
BL= BELOW LIMIT, OL= OVER LIMIT, X= Inconclusive, Negative = Negative means the absence of Chromium VI on the tested areas. Positive = Positive means the presence of Chromium VI on the tested areas.

NPS Test Laboratory (SongGuan NPS Standards Institute)

HK Phone: +852-53700017 www.nps.gs E mail: nps@nps.gs DG Phone: +86-134 2862 9186 Hotline: 400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 6 of 15

Screening by XRF Spectroscop (Chemical Confirmation Test)

Test Item(s):Pb,Cd,Hg,Cr,Br(PBBs/PBDEs)

X-ray Method:IEC 62321-3-1:2013

Chemical method:IEC/EN62321-4、IEC/EN62321-5、IEC/EN62321-6、IEC/EN 62321-7-2

No.	Sample name	XRF Results (mg/kg)					Chemical confirmation result (mg/kg)	Conclusion
		Pb	Cd	Hg	Cr	Br		
21	Black metal	N.D.	N.D.	N.D.	N.D.	--	--	Pass
22	Black woven belt	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
23	hook and loop fasteners	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
24	Black plastic cable sheath	N.D.	N.D.	N.D.	X	N.D.	Cr(VI): N.D.	Pass
25	Red plastic cable cover	N.D.	N.D.	N.D.	X	N.D.	Cr(VI): N.D.	Pass
26	Copper wire	N.D.	N.D.	N.D.	N.D.	--	--	Pass
27	Black outer plastic sheath	N.D.	N.D.	N.D.	BL	N.D.	--	Pass
28	Yellow plastic	N.D.	N.D.	N.D.	N.D.	X	PBBs&PBDEs:N.D.	Pass
29	Black plastic	N.D.	N.D.	N.D.	N.D.	X	PBBs&PBDEs:N.D.	Pass
30	Copper metal socket	OL	N.D.	N.D.	BL	--	Pb: 8527*	Exempt
31	Magenta plastic cable sheath	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
32	Black plastic cable sheath	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
33	Black plastic	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
34	Yellow plastic	N.D.	N.D.	N.D.	BL	X	PBBs&PBDEs:N.D.	Pass
35	Silver metal plug	N.D.	N.D.	N.D.	N.D.	--	--	Pass
36	Silver metal pins	N.D.	N.D.	N.D.	N.D.	--	--	Pass
37	Red rubber ring	N.D.	N.D.	N.D.	N.D.	BL	--	Pass
38	Black plastic plug	N.D.	N.D.	N.D.	N.D.	BL	--	Pass
39	Black plastic cover	N.D.	N.D.	N.D.	N.D.	BL	--	Pass
40	Transparent film	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass

Explain: N.D.= Not detected(<MDL),MDL= Method detection limit, N/A= Not Applicable "--"= Not Applicable
BL= BELOW LIMIT, OL= OVER LIMIT, X= Inconclusive, Negative = Negative means the absence of Chromium VI on the tested areas.Positive = Positive means the presence of Chromium VI on the tested areas.

“*”According to the statement provided by the customer, the Pb exemption complies with the relevant provisions of the RoHS Directive 2011/65/EU. The relevant provisions (Annex III(6)(C)) : The weight of lead in the copper alloy does not exceed 4% (40,000 mg/kg).

NPS Test Laboratory (SongGuan(NPS Standards Institute))

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:+86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 7 of 15

Screening by XRF Spectroscop (Chemical Confirmation Test)

Test Item(s):Pb,Cd,Hg,Cr,Br(PBBs/PBDEs)

X-ray Method:IEC 62321-3-1:2013

Chemical method:IEC/EN62321-4、IEC/EN62321-5、IEC/EN62321-6、IEC/EN 62321-7-2

No.	Sample name	XRF Results (mg/kg)					Chemical confirmation result (mg/kg)	Conclusion
		Pb	Cd	Hg	Cr	Br		
41	Black material	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
42	Transparent material	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
43	Bronze-colored wire	BL	N.D.	N.D.	N.D.	--	--	Pass
44	White label paper	N.D.	N.D.	BL	N.D.	N.D.	--	Pass
45	Transparent plastic	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass
46	Black plastic	N.D.	N.D.	N.D.	N.D.	N.D.	--	Pass

Explain: N.D.= Not detected(<MDL),MDL= Method detection limit, N/A= Not Applicable "--"= Not Applicable
BL= BELOW LIMIT, OL= OVER LIMIT, X= Inconclusive, Negative = Negative means the absence of Chromium VI on the tested areas.Positive = Positive means the presence of Chromium VI on the tested areas.



NPS Test Laboratory Dongguan(NPS Standards Institute)

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:+86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 8 of 15

Chemical Phthalates Test

Test Item(s): Phthalates(DEHP,BBP,DBP,DIBP)

Test method: IEC/EN62321-8

Test Item(s)	CAS No.	Result (mg/kg)			MDL (mg/kg)	Conclusion
		2+3+4	5+6+7	8+9+10		
Di-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	N.D.	N.D.	30	Pass
Dibutyl Phthalate(DBP)	84-74-2	N.D.	N.D.	N.D.	30	Pass
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	N.D.	N.D.	30	Pass
Diisobutyl Phthalate(DIBP)	84-69-5	N.D.	N.D.	N.D.	30	Pass

Test Item(s)	CAS No.	Result (mg/kg)			MDL (mg/kg)	Conclusion
		11+13+15	16+17+18	19+20+22		
Di-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	N.D.	N.D.	30	Pass
Dibutyl Phthalate(DBP)	84-74-2	N.D.	N.D.	N.D.	30	Pass
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	N.D.	N.D.	30	Pass
Diisobutyl Phthalate(DIBP)	84-69-5	N.D.	N.D.	N.D.	30	Pass

Test Item(s)	CAS No.	Result (mg/kg)			MDL (mg/kg)	Conclusion
		23+24+25	27+28+29	31+32+33		
Di-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	N.D.	N.D.	30	Pass
Dibutyl Phthalate(DBP)	84-74-2	N.D.	N.D.	N.D.	30	Pass
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	N.D.	N.D.	30	Pass
Diisobutyl Phthalate(DIBP)	84-69-5	N.D.	N.D.	N.D.	30	Pass



NPS Test Laboratory Dongguan(NPS Standards Institute)

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:+86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 9 of 15

Test Item(s)	CAS No.	Result (mg/kg)			MDL (mg/kg)	Conclusion
		34+37+38	39+40+41	42+44+45+46		
Di-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	N.D.	N.D.	30	Pass
Dibutyl Phthalate(DBP)	84-74-2	N.D.	N.D.	N.D.	30	Pass
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	N.D.	N.D.	30	Pass
Diisobutyl Phthalate(DIBP)	84-69-5	N.D.	N.D.	N.D.	30	Pass

Explain: others are glass,ceramic and metallic materials without testing phthalates.

Remarks :

1. 1mg/kg = 1ppm = 0.0001%.
2. N.D.= Not Detected(<MDL).
3. MDL = Method detection limit.
4. The results shown in this test report refer only to the sample tested.
- 5.3 points for a group of data $\leq 300\text{mg/kg}$ is judged to be qualified,>300mg/kg requires independent testing.



NPS Test Laboratory DongGuan(NPS Standards Institute)

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report

Date : 2026-02-03
Report No. : NPS026010083C1

Page 10 of 15

Sample Test site



NPS Test Laboratory SongGuan(NPS Standards Institute)


HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:+86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company


Chemical Testing Process Flow

Lead, Cadmium, Mercury, Hexavalent Chromium Testing Process Flow

Lead, Cadmium, Mercury



Hexavalent Chromium




NPS Test Laboratory Dongguan(NPS Standards Institute)

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone:+86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

PBBs/PBDEs/Phthalates Testing Process Flow



NPS Test Laboratory DongGuan(NPS Standards Institute)

HK Phone:+852-53700017 www.nps.gs E mail:nps@nps.gs DG Phone: 86-134 2862 9186 Hotline:400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company


NPS

RoHS Test Report


Date : 2026-02-03
Report No. : NPS026010083C1

Page 13 of 15

Sample Photo



NPS authenticate the photo on original report only.



NPS authenticate the photo on original report only.

NPS Test Laboratory (Hong Kong) (NPS Standards Institute)

HK Phone: +852-53700017 www.nps.gs E mail: nps@nps.gs DG Phone: +86-134 2862 9186 Hotline: 400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limited liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

NPS

RoHS Test Report


Date : 2026-02-03
Report No. : NPS026010083C1

Page 14 of 15

Sample Photo



NPS authenticate the photo on original report only.



NPS authenticate the photo on original report only.



NPS Test Laboratory, Hong Kong (NPS Standards Institute)


HK Phone: +852-53700017 www.nps.gs E mail: nps@nps.gs DG Phone: +86-134 2862 9186 Hotline: 400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company

CE Label

1. The CE conformity marking must consist of the initials 'CE' taking the following form:
If the CE marking is reduced or enlarged, the proportions given in the above graduated drawing must be respected.
2. The CE marking must have a height of at least 5 mm except where this is not possible on account of the nature of the apparatus.
3. The CE marking must be affixed to the product or to its data plate. Additionally it must be affixed to the packaging, if any, and to the accompanying documents.
4. The CE marking must be affixed visibly, legibly and indelibly. It must have the same height as the initials 'CE' Proposed Label Location on EUT

EUT Bottom View/proposed CE Mark Location



*** End of Report ***



NPS Test Laboratory Dongguan (NPS Standards Institute)

HK Phone: +852-53700017 www.nps.gs E mail: nps@nps.gs DG Phone: +86-134 2862 9186 Hotline: 400-1361698

This Test Report is issued by the Company subject to its General Conditions of Service Printed overleaf or available on request and accessible at <http://www.nps.hk>. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. This Test report cannot be reproduced, except in full, without prior written permission of the Company